Revision Date: 13.01.2011

Revision: 01



SAFETY DATA SHEET SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE

Synonyms, Trade Names BLEACH, HYPO, BRIDOS, EUROCHLOR, EVERCHLOR CLEAR, SODIUM

> HYPOCHLORITE SOLUTION > 2.5%, CAFLON SHB 14, SOD HYPOCHLORITE 14/15%, SOD HYPOCHLORITE 14/15% SLY, SOD HYPOCHLORITE 5%,

SODIUM HYPOCHLORITE 12 - 13 % SOLUTION, SODIUM HYPOCHLORITE 15%

SOLUTION, SODIUM HYPOCHLORITE SOLUTION 16 - 18 %, SODIUM HYPOCHLORITE SOLUTION 3%, SODIUM HYPOCHLORITE 4% SOLUTION, SODIUM HYPOCHLORITE 7% SOLUTION, SODIUM HYPOCHLORITE 13%

SOLUTION. SODIUM HYPOCHLORITE SOLUTION > 10%

REACH Registration Number 01-2119488154-34

CAS-No. 7681-52-9 EU Index No. 017-011-00-1 EC No. 231-668-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfectant Chemical Intermediate

1.3. Details of the supplier of the safety data sheet

Supplier: Univar

Aguarius House

6 Midpoint Business Park

Thornbury Bradford BD3 7AY

+44 1274 267300 +44 1274 267306 sds@univareurope.com

1.4. Emergency telephone number

Emergency Contact Number

+44 1274 267346

(Office Hours)

Emergency Contact Number

+441865 407333

(Outside Office Hours)

Sds No. 258

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Met. Corr. 1 - H290 Physical

EUH031; Skin Corr. 1B - H314; STOT Single 3 - H335 Health

Environmental Aquatic Acute 1 - H400

Classification (67/548) C:R34 R31 N:R50

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16

2.2. Label elements

EC No. 231-668-3 Label In Accordance With (Ec) No. 1272/2008







Signal Word Hazard Statements	Danger	
riazara otatomonto	H290	May be corrosive to metals.
	H314	Causes severe skin burns and eye damage.
	H335	May cause respiratory irritation.
	H400	Very toxic to aquatic life.
Precautionary Statements		
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P271	Use only outdoors or in a well-ventilated area.
	P273	Avoid release to the environment.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P301+330+331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+361+353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304+340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER or doctor/physician.
	P403	Store in a well-ventilated place.
Supplemental Label Information		

Contact with acids liberates toxic gas.

2.3. Other hazards

None.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

EUH031

3.1. Substances

REACH Registration Number 01-2119488154-34

 CAS-No.
 7681-52-9

 EU Index No.
 017-011-00-1

 EC No.
 231-668-3

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation.

Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.

Ingestion

NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention.

Skin Contact

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

Eve Contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation.

In case of fire, toxic gases may be formed. Chlorine.

Ingestion

Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

Skin Contact

Chemical burns.

Eye Contact

Causes burns. Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Get medical attention immediately!

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing Media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable Extinguishing Media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific Hazards

Chlorine. Oxygen.

5.3. Advice for firefighters

Special Fire Fighting Procedures

Water spray should be used to cool containers. Dike and collect extinguishing water.

Protective Measures In Fire

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of spray mist and contact with skin and eyes. Provide adequate ventilation.

6.2. Environmental precautions

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Absorb with inert, damp, non-combustible material, then flush area with water. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

6.4. Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact. Avoid inhalation of vapours and spray mists. Provide good ventilation. Warning! Do not use together with other products. May release dangerous gases (chlorine).

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in original container. Protect from freezing and direct sunlight.

Storage Class

Corrosive storage.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Ingredient Comments

No exposure limits noted for ingredient(s).

DNEL Industry Inhalation. Long Term 1.55 mg/m3 **DNEL Short Term** 3.1 mg/m3 Industry Inhalation. **DNEL** Consumer Inhalation. Long Term 1.55 mg/m3 **DNEL** Short Term Consumer Inhalation. 3.1 mg/m3

8.2. Exposure controls

Protective Equipment







Process Conditions

Provide eyewash, quick drench.

Engineering Measures

Provide adequate ventilation. Observe Occupational Exposure Limits and minimise the risk of inhalation of vapours.

Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided.

Hand Protection

Use protective gloves made of: Nitrile. Butyl rubber. Neoprene. Polyvinyl chloride (PVC). Rubber (natural, latex). The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Eye Protection

Wear approved safety goggles.

Other Protection

Wear rubber apron. Wear rubber footwear.

Hygiene Measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Remove contaminated clothing and wash the skin thoroughly with soap and water after work. Eating, smoking and water fountains prohibited in immediate work area.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour Green Yellow

Odour Chlorine.

Solubility Soluble in water.

Initial Boiling Point and Boiling >100

Range:

Melting Point (°C) -17
Relative Density 1.20 - 1.27
Ph-Value, Conc. Solution >11
Partition Coefficient -3.42

(N-Octanol/Water)

9.2. Other information

Not available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Generates toxic gas in contact with acid.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use.

10.3. Possibility of hazardous reactions

Generates toxic gas in contact with acid.

10.4. Conditions to avoid

Avoid excessive heat for prolonged periods of time. Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials To Avoid

Strong acids. Amines.

10.6. Hazardous decomposition products

Chlorine. Oxygen.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Toxic Dose 1 - Ld 50 1100 mg/kg (oral rat)
Acute Toxicity (Dermal LD50) > 2000 mg/kg Rat

Acute Toxicity (Inhalation LC50) > 10500 mg/l (vapours) Rat 1 hour

Aspiration Hazard None.

Inhalation

May cause damage to mucous membranes in nose, throat, lungs and bronchial system. May cause irritation to the respiratory system.

Ingestion.

May cause chemical burns in mouth, oesophagus and stomach.

Skin Contact

May cause serious chemical burns to the skin.

Eye Contact

Causes burns.

Target Organs

Respiratory system, lungs

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

The product contains a substance which is very toxic to aquatic organisms.

12.1. Toxicity

LC 50, 96 Hrs, Fish mg/l 0.01 - 0.1 EC 50, 48 Hrs, DapHnia, mg/l 0.01 - 0.1

12.2. Persistence and degradability

Degradability:

The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative Potential:

Bioaccumulation is unlikely to be significant because of the low water solubility of this product.

Partition Coefficient -3.42

12.4. Mobility in soil

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB Substances.

12.6. Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

General Information

Do not puncture or incinerate even when empty. Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

 Un Number Road
 1791

 UN No. (IMDG)
 1791

 UN No. (ICAO)
 1791

14.2 UN Proper Shipping Name

Proper Shipping Name HYPOCHLORITE SOLUTION

14.3 Transport hazard class(es)

ADR/RID/ADN Class 8

ADR/RID/ADN Class Class 8: Corrosive substances.

ADR Label No. 8
IMDG Class 8
ICAO Class/Division 8

Transport Labels



14.4. Packing group

ADR/RID/ADN Packing group || IMDG Packing group || ICAO Packing group || I

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant



14.6. Special precautions for user

EMS F-A, S-B

Emergency Action Code 2X
Hazard No. (ADR) 80
Tunnel Restriction Code (E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

Approved Code Of Practice

Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

Guidance Notes

CHIP for everyone HSG(108). Workplace Exposure Limits EH40.

Eu Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

15.2. Chemical Safety Assessment

A chemical safety assessment has been carried out.

SECTION 16: OTHER INFORMATION

Revision Comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision Date 13.01.2011

Revision 01
SDS No. 258
Safety Data Sheet Status Approved.
Date 22.07.2010
Signature Jitendra Panchal

Risk Phrases In Full

R34 Causes burns.

R31 Contact with acids liberates toxic gas.
R50 Very toxic to aquatic organisms.

Hazard Statements In Full

H314 Causes severe skin burns and eye damage.

EUH031 Contact with acids liberates toxic gas.

H290 May be corrosive to metals. H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.